



Printing date 03/08/2018 Version Number 1.0 Reviewed on 03/08/2018

1 Identification

Product identifier

Trade name: Top Cast SS100®

SDS ID Number: 227

Relevant identified uses of the substance or mixture, and uses advised against:

Specialty construction product. Not intended for other uses.

Product category Concrete Admixture

Details of the supplier of the safety data sheet

Manufacturer/Supplier:

GCP Applied Technologies 62 Whittemore Avenue Cambridge, MA 02140 USA

GCP Canada, Inc. 294 Clements Road W. Ajax, Ontario L1S 3C6 Canada

Information department:

Environmental Health & Safety USA: +1-617-876-1400 (24 hours)

+1-800-354-5414 (8AM - 5PM) Not functional within Massachusetts

CAN: 1-905-683-8561 (24 hours) Email address: msds.gcp@gcpat.com

Transport Emergency: Chemtrec +1-800-424-9300 (24 hours)

2 Hazard(s) identification

Classification of the substance or mixture

Causes serious eye irritation.

May cause an allergic skin reaction.

Label elements: The product is classified and labeled according to the Globally Harmonized System (GHS)

Hazard pictograms



GHS07

Warning

Hazard statements

Causes serious eye irritation.

May cause an allergic skin reaction.

Precautionary statements

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash thoroughly after handling.

Contaminated work clothing should not be allowed out of the workplace.

Wear protective gloves / eye protection / face protection.

If on skin: Wash with plenty of water.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If skin irritation or rash occurs: Get medical advice/attention.

(Cont. on page 2)

(Cont. from page 1)

Safety Data Sheet

Printing date 03/08/2018 Version Number 1.0 Reviewed on 03/08/2018

Trade name: Top Cast SS100®

If eye irritation persists: Get medical advice/attention.

Wash contaminated clothing before reuse.

Dispose of contents/container in accordance with local/regional/national/international regulations.

NFPA ratings (scale 0 - 4)



 $\begin{aligned} & \text{Health} = 1 \\ & \text{Fire} = 1 \\ & \text{Reactivity} = 0 \end{aligned}$

HMIS-ratings (scale 0 - 4)



Health = *1 Flammability = 1 Reactivity = 0

Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable. **vPvB:** Not applicable.

3 Composition/information on ingredients

Chemical characterization: Mixture

Description: Mixture of the hazardous substance(s) listed below with additional nonhazardous ingredients.

Hazardous components:			
57-55-6	Propylene glycol	5-<7.5%	
87-69-4	(+)-tartaric acid	1-<3%	
26172-55-4	5-chloro-2-methyl-2H-isothiazol-3-one	0-<0.1%	

Additional information: Non-hazardous ingredients may be listed in Section 15; Right-To-Know disclosure.

4 First-aid measures

Description of first aid measures

General information:

Get medical advice/attention if you feel unwell.

After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

After skin contact:

Immediately wash contaminated skin with soap or mild detergent and water. If this chemical soaks clothing, immediately remove clothing and wash skin.

After eye contact: Rinse cautiously with water for several minutes.

After swallowing:

Rinse mouth.

Do NOT induce vomiting.

Never give anything by mouth to an unconscious person.

Information for doctor:

Most important symptoms and effects, both acute and delayed

Allergic reactions

Irritating to eyes.

(Cont. on page 3)

Printing date 03/08/2018 Version Number 1.0 Reviewed on 03/08/2018

Trade name: Top Cast SS100®

(Cont. from page 2)

Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Extinguishing media

Suitable extinguishing agents: CO2, extinguishing powder or water spray. Fight larger fires with water spray.

Special hazards arising from the substance or mixture

Combustion products may include toxic gases such as carbon monoxide and smoke.

Advice for firefighters

Protective equipment: Wear personal protective equipment.

Additional information Collect contaminated fire fighting water separately. It must not enter the sewage system.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Methods and material for containment and cleaning up:

Contain and/or absorb spill with inert material (i.e. sand, vermiculite) then place in a suitable container.

Dispose contaminated material as waste according to section 13 of the SDS.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

Handling:

Precautions for safe handling

Avoid contact with eyes, skin and clothing.

Do not take internally.

Practice good personal hygiene to avoid ingestion.

Use only with adequate ventilation.

Wash clothing before reuse.

FOR PROFESSIONAL USE ONLY. KEEP OUT OF CHILDREN'S REACH.

Avoid contact with eyes.

Information about protection against explosions and fires: No special measures required.

Conditions for safe storage, including any incompatibilities

Storage:

Information about storage in one common storage facility: No special measures required.

Further information about storage conditions: Keep receptacle tightly sealed.

Specific end use(s) No further relevant information available.

USGHS

Version Number 1.0 Printing date 03/08/2018 Reviewed on 03/08/2018

Trade name: Top Cast SS100®

(Cont. from page 3)

8 Exposure controls/personal protection

Additional information about design of technical systems: No further data; see item 7.

Control parameters

Components with limit values that require monitoring at the workplace:

57-55-6 Propylene glycol

WEEL (USA) Long-term value: 10 mg/m³

Additional information: The lists that were valid during the creation were used as basis.

Exposure controls

Personal protective equipment:

General protective and hygienic measures: The usual precautionary measures for handling chemicals should be followed.

Breathing equipment:

Control exposure to ingredients with workplace control parameters if mentioned above. If no ingredients are listed, respiratory protection is generally not required.

If exposure limits are listed and may be exceeded, use approved respiratory protective equipment and filter type appropriate for the listed ingredients. (NIOSH, CEN, etc.).

Protection of hands: Gloves should be worn to prevent skin contact and should be impermeable and resistant to the product.

Material of gloves Rubber or other impervious gloves should be worn to prevent skin contact.

Eye protection:



Safety glasses with side shield protection.



A face shield should also be worn if there is potential exposure to splash or spray.

Body protection:

Use personal protective equipment as required.

Take off contaminated clothing.

9 Physical and chemical properties

Information on basic physical and chemical properties

General Information

Appearance:

Form: Liquid

Color: According to product specification

Characteristic Odor: **Odor threshold:** Not applicable.

pH-value (\sim) at 20 °C (68 °F):

Change in condition

Melting point/Melting range: Undetermined. **Boiling point/Boiling range:** 100 °C (212 °F) Flash point: 188 °C (370.4 °F)

Method: (estimated) Aqueous system.

Flammability (solid, gaseous): Not applicable.

(Cont. on page 5)

Printing date 03/08/2018 Version Number 1.0 Reviewed on 03/08/2018

Trade name: Top Cast SS100®

		(Cont. from page 4
Ignition temperature:	371 °C (699.8 °F)	
Decomposition temperature: Auto igniting: Danger of explosion:	Not applicable under normal storage conditions. Product is not self-igniting. Product does not present an explosion hazard.	
Explosion limits: Lower: Upper: VOC Content (max):	Not applicable. Not applicable. Not applicable. 7.00 %	
Vapor pressure: Density: (~) at 20 °C (68 °F) Relative density Vapor density Evaporation rate	Not determined. 1 g/cm³ (8.3 lbs/gal) Not determined. Not determined. Not determined.	
Solubility in / Miscibility with Water at 20 °C (68 °F):	- g/l	
Double and the second for a second law to	Fully miscible.	
Partition coefficient (n-octanol/water	r): Not determined.	
Viscosity: Dynamic: Kinematic: Molecular weight	Not determined. Not applicable.	
Other information	No further relevant information available.	

10 Stability and reactivity

Reactivity Stable under normal conditions.

Chemical stability

Thermal decomposition: No decomposition if used according to specifications.

Possibility of hazardous reactions No dangerous reactions known.

Conditions to avoid No further relevant information available.

Incompatible materials: No further relevant information available.

Hazardous decomposition products: Carbon monoxide and carbon dioxide

11 Toxicological information

Information on toxicological effects

Acute toxicity:

Primary irritant effect:

on the skin: No irritating effect expected on the eye: Causes serious eye irritation. inhalation: No irritating effect expected

Sensitization: May cause an allergic skin reaction.

(Cont. on page 6)

Printing date 03/08/2018 Version Number 1.0 Reviewed on 03/08/2018

Trade name: Top Cast SS100®

(Cont. from page 5)

Additional toxicological information:

Carcinogenic categories

IARC (International Agency for Research on Cancer) Human Carcinogenicity:

Group 1- Positive, Group 2A- Probable, Group 2B- Possible, Group 3- Not Classifiable

None of the ingredients is listed.

NTP (National Toxicology Program)

K-Known to be carcinogenic, R-May reasonably be anticipated to be carcinogenic

None of the ingredients is listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

Toxicity

Aquatic toxicity: No further relevant information available.

Persistence and degradability No further relevant information available.

Behavior in environmental systems:

Bioaccumulative potential No further relevant information available.

Mobility in soil No further relevant information available.

Additional ecological information:

General notes: Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Results of PBT and vPvB assessment

PBT: Not applicable. **vPvB:** Not applicable.

Other adverse effects No further relevant information available.

13 Disposal considerations

Disposal methods:

Consult all regulations (federal, state, provincial, local) or a qualified waste disposal firm when characterizing product for disposal. Dispose of waste in accordance with all applicable regulations.

Recommendation:



Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Uncleaned packagings:

Recommendation: Dispose of contents/container in accordance with local/regional/national/international regulations.

14 Transport information

UN-Number

DOT, IMDG, IATA Not applicable.

(Cont. on page 7)

Printing date 03/08/2018 Version Number 1.0 Reviewed on 03/08/2018

Trade name: Top Cast SS100®

UN proper shipping name

DOT, IMDG, IATÂ Not applicable.

Transport hazard class(es)

DOT, IMDG, IATA

Class Not applicable.

Packing group

DOT, IMDG, IATA Not applicable.

Environmental hazards:

Marine pollutant: No

Special precautions for user Not applicable.

Transport/Additional information:

DOT

Remarks: Not Regulated.

15 Regulatory information

SARA (Superfund Amendments and Reauthorization Act)

Section 302/304 (extremely hazardous substances):

None of the ingredients is listed.

Section 313 Reportable Ingredients (Chemicals present below reporting threshold are exempt):

None of the ingredients is listed.

SARA Section 312/Tier I & II Hazard Categories:

Health Hazard - Respiratory or Skin Sensitization

Health Hazard - Serious eye damage or eye irritation

North America Chemical Inventory Status

TSCA (Toxic Substances Control Act - United States):

All ingredients are listed or exempt from listing unless otherwise noted below.

CEPA (Canadian DSL):

All ingredients are listed or exempt from listing unless otherwise noted below.

Right to Know Ingredient Disclosure:

1592-23-0 Calcium distearate

7732-18-5 Water

California Proposition 65: (Substances < 0.1% unless noted in Section 3)

Chemicals known to cause cancer:

None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

Carcinogenicity Categories

TLV-ACGIH (THE American Conference of Governmental Industrial Hygienists)

Human Carcinogen - A1 Confirmed, A2 Suspected, A3 Unknown Relevance, A4 Not Classifiable

None of the ingredients is listed.

NIOSH-Cancer (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

(Cont. on page 8)

Printing date 03/08/2018 Version Number 1.0 Reviewed on 03/08/2018

Trade name: Top Cast SS100®

Volatile Organic Compounds (VOC) reported per the Emission Standards. 580.0 g/l / 4.84 lb/gl

(Cont. from page 7)

16 Other information

The data included herein are presented in accordance with various environment, health and safety regulations. It is the responsibility of a recipient of the data to remain currently informed on chemical hazard information, to design and update its own program and to comply with all national, federal, state and local laws and regulations applicable to safety, occupational health, right-to-know and environmental protection.

Department issuing SDS:

GCP Applied Technologies 62 Whittemore Avenue Cambridge, MA 02140 USA USA: +1-617-876-1400 (24 hours) +1-800-354-5414

Date of preparation / last revision 03/08/2018 / -

The first date of preparation 03/24/2008

Number of revision times and the latest revision date 1.0 / 03/08/2018

JSGHS •